



LOCKOUT-TAGOUT PROCEDURE

Developed By:

Cardinal Compliance Consultants
5353 Secor Rd.
Toledo, OH 43623
P: 419-882-9224

Description: HI KYLE

Procedure #: 69

Facility:

Location:

Rev:

Date:

Origin:

Machine to be Locked Out



Isolation Points to be Locked and Tagged

Notes:

SHUTDOWN SEQUENCE

1. Notify affected personnel. 2. Properly shut down machine. 3. Isolate all energy sources. 4. Apply LOTO devices. 5. Verify total de-energization of all sources.

Energy Source	Device	Isolation Point	Isolation Method	Verification Method	Verification Device
	Tag: #				

RESTART SEQUENCE

1. Ensure all tools and items have been removed. 2. Confirm that all employees are safely located. 3. Verify that controls are in neutral. 4. Remove LOTO devices and reenergize machine. 5. Notify affected employees that servicing is complete.

Lockout Procedure Approval Data

The signatures below indicate that the lockout procedure covered on this sheet has been prepared by Cardinal Compliance and approved by .

Prepared by: NATHAN SCHANG Approved by: _____ Date: 11/07/2025

NATHAN SCHANG

Cardinal Compliance
Consultants, LLC

GOD AND COUNTRY